How to build a Pirate Radio?

Introduction



Please note, some frequencies are reserved for specific services **only**. Do not overmodule these services with the help of the Pirate Radio. Consider [4].

Parts / Tools List

Parts

Item	Quantity
Raspberry Pi (Model A **or** B)	1
Micro USB cable or adapter (5V 1200 mA)	1
(Micro) SD Card (8GB recommended)	1
Female Jumper Wire Connector (2.54mm)	1
Heat Shrink Wire Cable	1

Tools

Item	Quantity
Soldering Iron Station	1
AWG 12 Cooper Wire	1

Flash the SD card

Flashing the card with your favourite operating system is crucial for the radio to work, as you've probably imagined already. We recommend to install Arch Linux though. Why? Because, it's (1) light weighted, (2) well structured, (3) it has a very resourceful wiki and (4) is simply awesome.


Find the image file and installation instructions here.

PiFM

Log on to your system and download the relating software you need to transmit your messages!

<sxh bash> [user@hostname ~]$ wget –no-check-certificate https://download.c3l.lu/dlbase/scripts/Pifm.tar.gz </sxh>

Increase the range





Tuning in!

References

[0] http://www.raspberrypi.org/
[1] http://makezine.com/projects/make-38-cameras-and-av/raspberry-pirate-radio/
[2] http://myhowtosandprojects.blogspot.com/2014/04/raspberry-pi-make-your-own-pirate-radio.html

From:
https://wiki.c3l.lu/ - **Chaos Computer Club Lëtzebuerg**

Permanent link:
https://wiki.c3l.lu/doku.php?id=projects:howtos:pirateradio&rev=1403957347

Last update: **2015/07/15 21:54**